® III Treated

4		ntifi		-		
1.	-	_	\sim	•	\sim	ю

Southern Pine Lumber – Workhorse® III Treated TRADE NAME(s):

See section 16

REVISED DATE: August 27, 2018

2. Hazard(s) Identification

Signal Word: DANGER

NOTE:

2. Hazard(s) Identification (cont'd.)

Skin Irritation Category 2 (H315) Causes skin irritation

Specific Target Organ Toxicity- Single Exposure (STOT) Category 3 (H335) May cause respiratory irritation

3. Composition/Information on Ingredients	
Ingredients	

6. Accidental Release Measures

Steps to be taken in case Material Is Released or Spilled: Sweep or vacuum up for recovery and disposal. Avoid creating dusty conditions whenever feasible. Maintain good housekeeping to avoid accumulation of wood dust on exposed surfaces. Use approved filtering facepiece respirator ("dust

8. Exposure Control Measures/Personal Protection (cont'd.)

Personal Protective Equipment:

RESPIRATORY PROTECTION – Use filtering face piece respirator ("dust mask") tested and approved under appropriate government standards such as NIOSH (US), CSA (Canada), CEN (EU), or JIS (Japan) where exposure limits may be exceeded or for additional worker comfort or symptom relief. Use respiratory protection in accordance with jurisdictional regulatory requirements similar to the OSHA respiratory protection standard 29CFR 1910.134 following a determination of risk from potential exposures.

EYE PROTECTION – Approved goggles or tight fitting safety glasses are recommended when excessive exposures to dust may occur (e.g. during machining and clean up) and when eye irritation may occur. PROTECTIVE GLOVES – Cloth, canvas, or leather gloves are recommended to prevent direct contact

and to minimized

poteAi(icomo

10. Stability and Reactivity (cont'd.)

Conditions to Avoid: Avoid open flame. Product may ignite at temperatures in excess of 400°F (204°C). **Incompatibility (Materials to Avoid):** Avoid contact with oxidizing agents and drying oils.

Hazardous Decomposition or By-Products: Natural decomposition of organic materials such as wood may produce toxic gases and an oxygen deficient atmosphere in enclosed or poorly ventilated areas. Spontaneous and rapid hazardous decomposition will not occur.

Sensitivity to Static Discharge: Airborne product dust may be ignited by a static discharge depending on airborne concentrations, particle size and moisture content.

11. Toxicological Information

Likely Route(s) of Exposure:

■ Ingestion:

^ € , 7Xa#

 $\frac{1}{2} \text{Afrag} = \frac{1}{2} \text{A$

11. Toxicological Information (cont'd.)		

15. Regulatory Information (cont'd.)

STATE RIGHT-TO-KNOW:

California Proposition 65

WARNING: This product can expose you to chemicals including wood dust which are known to the State of California to cause cancer, and methanol, which are known to the State of California to cause birth defects or other reproductive harm. Drilling, sawing, sanding or machining wood products can expose you to wood dust. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection. For more information go to www.P65Warnings.ca.gov/wood. The product may also contain trace amounts of 1, 4-dioxane which is known to the State of California to cause cancer.

New Jersey When cut or otherwise machined, the product may emit wood dust. Wood dust, 1,4 dioxane and methanol are listed on New Jersey's Hazardous Substance List.

<u>Pennsylvania</u> When cut or otherwise machined, the product may emit wood dust. Wood dust 1,4 dioxane and methanol appear on Pennsylvania's Appendix A Hazardous Substance List.

SARA 313 Information: This product does not contain any chemical ingredient (s) that exceed the de minimis reporting levels established by SARA Title III, section 313 and 40 CFR section 372.

SARA 311/312 Hazard Category: This product has been reviewed according to the EPA "Hazard Categories" promulgated under SARA Title III Sections 311 and 312 and is considered, under applicable definitions, to meet the following categories:

An immediate (acute) health hazard Yes
A delayed (chronic) health hazard Yes
A corrosive hazard No
A fire hazard No
A reactivity hazard No
A sudden release hazard No

FDA: Not intended for use as a food additive or indirect food contact item.

WHMIS Classification: Wood and products made from wood are exempt from WHMIS per the Hazardous Products Act (HPA). However, wood dust released during the use or modifications of wood products may be hazardous. See Section 2 for health and combustible dust hazard information.

16. Other Information

Date Prepared: 07/24/2018 **Date Revised:** 08/27/2018

Prepared By: Weyerhaeuser Company Health, and Safety.

Weyerhaeuser SDS available on:

http://www.wy.com/sustainability/environment/product-stewardship/safety-data-sheets/

User's Responsibility: The information contained in this Safety Data Sheet is based on the experience of occupational health and safety professionals and comes from sources believed to be accurate or otherwise technically correct. It is the user's responsibility to determine if the product is suitable for its proposed application(s) and to follow necessary safety precautions. The user has the responsibility to ensure that the most current SDS is used.

Definition of Common Terms:

ACGIH[®] = American Conference of Governmental Industrial Hygienists

C = Ceiling Limit

CAS# = Chemical Abstracts System Number

DOT =



exposures Prevent dust release and accumulate off contaminated clothing and wash before reuse. Keep dust aw4q(1-800-525-5440

