Safety Data Sheet (SDS)

TJI Joist

, I-Joist, Floor Joist

PRODUCT USES:	Building Materials
CHEMICAL NAME/CLASS:	Wood Products
MANUFACTURER'S NAME:	Weyerhaeuser
ADDRESS:	220 Occidental Ave S., Seattle, WA 98014
EMERGENCY PHONE (DOT):	(844) 523-4081 (3E Company)
BUSINESS PHONE:	(206) 539-3910
INTERNET ACCESS:	See section 16
REVISED DJ /CS1 c2Y3 97 EV S:	

2. Hazard(s) Identification (cont'd.)

Skin Irritation Category 2 (H315) Specific Target Organ Toxicity- Single Exposure (STOT) Category 3 (H335)	Causes skin irritation May cause respiratory irritation	
Eye Irritation Category 2B (H320)	Causes eye irritation	None
Combustible Dust (OSHA Defined Hazard)	If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air	None

*****Hazard codes (GHS)

HMIS Rating (Scale 0-4):	**Health =**	2*	**Fire =**	1	**Physical Hazard =**	0
NFPA Rating (Scale 0-4):	**Health =**	1	**Fire =**	1	**Reactivity =**	0

Precautionary Statement(s):

Prevention Statements**:**

P202: Do not handle until all safety precautions have been read and understood.
P210: Keep away from sparks, flame or other heat sources.
P243: Take precautionary measures against static discharge.
P261+284: Avoid breathing dust. In case of inadequate venti i91 (y)16.1 naofi

3. Composition/Information on Ingredients

Ingredient(s)	CAS#

8. Exposure Control Measures/Personal Protection (cont'd.)

Ventilation:
LOCAL EXHAUST –

9. Physical/Chemical Properties (cont'd.)

Solubility:	<0.1

11. Toxicological Information (cont'd.)

Formaldehyde: IARC – Group 1: Carcinogenic to humans, sufficient evidence of carcinogenicity. A working group of IARC has determined that there is sufficient evidence that formaldehyde causes nasopharyngeal cancer in humans, a rare cancer in developed countries and "strong but not sufficient evidence" for leukemia. However, numerous epidemiological studies have failed to demonstrate a relationship between formaldehyde exposure and nasal cancer or pulmonary diseases such as emphysema or lung cancer.

Carcinogenicity Listing(s):

☒	NTP:	Wood dust, Known Human Carcinogen. Formaldehyde, Known to be a Human Carcinogen.
☒	IARC Monographs:	Wood dust, Group 1 – carcinogenic to humans. Formaldehyde, Group 1-carcinogenic to humans.
☒	OSHA Regulated:	Formaldehyde Gas 29 CFR 1910.1048.

Toxicity Data: No specific information available for product in purchased form. Individual component information is listed below.

Components:

Wood dust (softwood or hardwood)

Dusts generated from sawing, sanding or machining the product may cause respiratory irritation, nasal dryness and irritation, coughing and sinusitis. NTP and IARC (Group 1) classify wood dust as a human carcinogen. See Section 2 above.

Formaldehyde

Human inhalation TC_{Lo} of 17 mg/m^3 for 30 minutes produced eye and pulmonary results; human inhalation TC_{Lo} of 300 ug/m^3 produced nose and central nervous system results; LC_{50} (rat, .5 (e)5.8,4uat1s; LC

16. Other Information (cont

TJI Joist

Danger

Wood dust may cause nasopharyngeal cancer and/or cancer of the nasal cavities and paranasal sinuses by inhalation. May cause respiratory, skin and eye irritation.

May form combustible dust concentrations in air if small particles are formed during processing or handling.

Precautions: Do not handle until all safety precautions have been read and understood. Use outdoors or in a well-ventilated area. Avoid breathing dust and wear appropriate protective equipment for

Label for TJI Joist products. See SDS 8/2018 for additional information.