Safety Data Sheet (SDS)

9. Physical/Chemical Properties

Appearance: Parallam® Plus PSL (made with CA-C) is green in color consisting of southern pine with a woody odor - this product is stamped as Parallam® Plus PSL. Treated Parallam® Plus PSL (made with MCA) is light green in color consisting of southern pine species with a woody odor - this product is stamped Treated Parallam® Plus PSL.

Odor/Odor Threshold(s):	NAV
pH:	NAP
Melting/Freezing Point:	NAP
Boiling Point (@ 760 mm Hg) and Range:	NAP
Flash Point:	NAP
Evaporation Rate:	0
Flammability:	NAP

11. Toxicological Information (cont'd.)

Copper-Azole

Oral LD_{50} (male rat): 741 - 760 mg/kg. Oral LD_{50} (female rat): 650 – 651 mg/kg. Dermal LD_{50} (rat): >2,020 mg/kg. Ames test: negative.

A human health risk assessment evaluated copper-azole exposure potential in occupational (adult o ted W (at)-13h- builders) and residential/playground (adult handlers and children) populations and concluded that "no adverse health effects are expected" and that "none of the exposures to azole [tebuconazole] or copper evaluated pose a potential health risk." Cancer risks were not assessed in this study because, according to the U.S. Environmental Protection Agency, neither tebuconazole nor copper is a known or probable human carcinogen. Source: *Executive Summary – Assessment of Potential Human Health Risks Associated with Exposure to Copper Tebuconazole-Treated Wood*. July 10, 2003. Gradient Corporation.m

12.Ecological Information (cont'd.)

Biopersistence and Degradability: The wood portions of this product would be expected to be biodegradable.

Formaldehyde

Trace amounts of free formaldehyde may be released to the atmosphere and would be expected to be removed in the atmosphere by direct photolysis and oxidation by photochemically produced hydroxyl radicals (half-life of a few hours). In the aqueous phase formaldehyde biodegradation is expected to take place in a few days.

Copper compounds: copper is biodegradable; copper carbonate is slowly biodegradable.

Bioaccumulation: NAV

Soil Mobility: NAV

Other adverse effects: The wood preservatives in this product contain pesticides, which when released into the environment, are expected to adversely affect plants that become contaminated and may be harmful to wildlife.

13. Disposal Considerations

Waste Disposal Method: CAUTION: Do not burn treated wood in open fires, stoves, fireplaces, or

15. Regulatory Information (cont'd.)

STATE RIGHT-TO-KNOW:

California Proposition 65 –

WARNING: This product can expose you to chemicals including wood dust which are known to the State of California to cause cancer, and methanol, which are known to the State of California to cause birth defects or other reproductive harm. Drilling, sawing, sanding, or machining wood products can expose you to wood dust. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection. For more information go to www.P65Warnings.ca.gov and www.P65Warnings.ca.gov/wood. These products also may release formaldehyde, a chemical known to the State of California to cause cancer.

Pennsylvania – This product contains formaldehyde which, depending on temperature and humidity, may be emitted from the product. When cut or otherwise machined, the product may emit wood dust. Formaldehyde, wood dust, copper and sodium nitrite

Parallam® Plus PSL (CA-C) and Treated Parallam® Plus PSL (MCA)

Danger

Wood dust may cause nasou8se na1.SLaanaan1.SLoanger

Parallam Plus PSL (CA-C), Treated Parallam Plus PSL (MCA) products. See SDS 4/2023 for additional information.