

# Safety Data Sheet (SDS)

## Glacier Clear Thin High Density Fiberboard

### 1. Identification

TRADE NAME(S): Glacier Clear Thin High Density Fiberboard

SYNONYMS and/or GRADES:

## 2. Hazard(s) Identification (cont'd.)

|  |  |             |
|--|--|-------------|
| <p>Skin Irritation<br/>Category 2<br/>(H315)</p> <p>Specific Target Organ<br/>Toxicity- Single<br/>Exposure (STOT)<br/>Category 3<br/>(H335)</p> | <p>Causes skin irritation</p> <p>May cause respiratory irritation</p>  |             |
| <p>Eye Irritation<br/>Category 2B<br/>(H320)</p>   | <p>Causes eye irritation</p>   | <p>None</p> |
| <p>Combustible Dust<br/>(OSHA Defined Hazard)</p>  | <p>If converted to small particles during further<br/>processing, handling, or by other means,<br/>may form combustible dust concentrations<br/>in air</p> | <p>None</p> |

\*Hazard codes (GHS)

**HMIS Rating (Scale 0-4):**

**NFPA Rating (Scale 0-4):**

**Health = 2\***

**Health = 1**

**Fire = 1**

**Fire = 1**

**Physical Hazard = 0**

**Reactivity = 0**

**Precautionary Statement(s):**

Prevention Statements:

P202:

### 3. Composition/Information on Ingredients

| Ingredients  | CAS#     | Wt.%  |
|--|----------|-------|
| Wood (wood dust, softwood or hardwood)   | None     | 93-97 |
| Resin solids: Polymeric Diphenylmethane Diisocyanate <sup>1</sup><br>[C <sub>6</sub> H <sub>3</sub> (NCO)CH <sub>2</sub> ] n (reacted) | 101-58-8 | 3-5   |
| Slack wax, petroleum   | 64742    |       |



## 8. Exposure Control Measures/Personal Protection (cont'd.)

### Personal Protective Equipment:

RESPIRATORY PROTECTION – Use filtering face piece respirator (“dust mask”) tested and approved under appropriate government standards such as NIOSH (US), CSA (Canada), CEN (EU), or JIS

(Japan) if exposure limits may be exceeded or for additional worker comfort (i)3.10-8 (pos)-814 (i)3.10-8 (pos)-814 (a



## 12. Ecological Information

**Ecotoxicity:** NAV for finished product.

**Biopersistence and Degradability:** The wood in this product would be expected to be biodegradable.


Polymeric MDI







# Glacier Clear Thin High Density Fiberboard



## Danger

Wood dust may cause nasopharyngeal cancer and/or cancer of the nasal cavities and paranasal sinuses by inhalation. May cause respiratory, skin and eye irritation.

May form combustible dust concentrations in air if small particles are formed during processing or handling.

**Precautions:** Do not handle until all safety precautions have been read and understood. Use outdoors or in a wellventilated area. Avoid breathing dust and wear appropriate protective equipment for respiratory, skin or eye exposures. Prevent dust release and accumulations to minimize hazard. Take off contaminated clothing and wash before reuse. Keep dust away from ignition sources such as heat, sparks, and flame

### First Aid:

If in eyes rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Contact a qualified medical professional if symptoms persist.

If on skin, wash with soap and water. If skin irritation or rash occurs, get medical advice/attention.

Inhalation, if experiencing respiratory symptoms, remove to fresh air. Contact a qualified medical professional for serious or persistent respiratory symptoms.

Weyerhaeuser  
220 Occidental Ave S.  
Seattle, WA 98104  
1-800-525-5440

